



WORD FIND

T	H	H	T	C	H	P	P	O	R	T	K
R	A	E	T	L	F	L	W	T	H	D	K
E	E	R	Q	E	U	A	X	A	B	M	E
A	M	E	J	W	T	I	C	L	Y	N	R
T	O	D	O	Q	R	A	E	T	S	Q	E
M	P	I	I	E	G	E	R	L	O	G	V
E	H	T	N	M	D	L	N	E	V	R	E
N	I	A	T	Z	M	M	S	E	D	J	S
T	L	R	K	S	W	I	I	A	L	O	S
H	I	Y	C	I	G	N	L	P	B	H	M
G	A	H	M	V	W	Q	V	D	D	W	V
W	J	R	K	C	B	R	U	I	S	E	N

Bleed	Bruise	Factor
Haemophilia	Hereditary	Joint
Mild	Moderate	Port
Severe	Treatment	Vein
VWD		

GLOSSARY

BLEED - In haemophilia, bleeding episodes usually occur inside the body, with bleeding often in muscles and joints, such as ankles, knees and elbows

BRUISE - An injury causes tiny blood vessels called capillaries to burst. Blood gets trapped below the skin's surface, which causes a bruise

FACTOR - A blood plasma protein that is an agent in the clotting process

HAEMOPHILIA - An inherited bleeding disorder where the blood doesn't clot properly. It is caused when there is not enough clotting factor in the blood

HEREDITARY - Passed in the genes from parent to child

JOINT - The place where two or more bones come together

MILD - 5% - 40% of normal clotting factor level - the severity of haemophilia depends on the amount of clotting factor in the blood.

MODERATE - 1% - 5% of normal clotting factor level - the severity of haemophilia depends on the amount of clotting factor in the blood.

PORT - A device put under the skin to give easy access to a vein for treatment and to protect veins from continued needle sticks.

SEVERE - Less than 1% of normal clotting factor level - the severity of haemophilia depends on the amount of clotting factor in their blood.

TREATMENT - Medical care given to a patient for an illness or injury

VEIN - Blood vessel which carries blood from any part of the body back to the heart

VWD - People with VWD (von Willebrand disease) have a problem with a protein in their blood called von Willebrand factor (VWF) that helps control bleeding. They do not have enough VWF or it doesn't work properly, and it takes longer for blood to clot and bleeding to stop